



EPABX: EPABX: 91-11-69027100  
 Fax: 0091-11-2651 7834, 2656 8227  
 Website: [www.nitrd.nic.in](http://www.nitrd.nic.in)  
 Email: sa-nitrd@nic.in, rk.dewan@nitrd.nic.in

## National Institute of Tuberculosis and Respiratory Diseases

(Autonomous Institute under the Ministry of Health & Family Welfare, Government of India)

Sri Aurobindo Marg, Near Qutub Minar, New Delhi 110030

No. 635

Dated: 27.06.2023

To,

The Incharge  
 Waste Management Committee WMC-(1)  
 Govt. of NCT of Delhi  
 Delhi Pollution Control Committee (DPCC)  
 5<sup>th</sup> Floor, I.S.B.T. Building,  
 Kasmere Gate,  
 Delhi-110006

Sir,

Please find enclosed herewith copy of Annual Report of Bio Medical Waste (Form-IV (See rule 13)) for a period from 01.01.2022 to 31.12.2022.

This issues with the approval of the Director.

**ADMINISTRATIVE OFFICER**  
**FOR DIRECTOR**

प्रशासनिक अधिकारी  
 Administrative Officer  
 राष्ट्रीय क्षय एवं श्वसन रोग संस्थान  
 National Institute of T.B. & Respiratory Diseases  
 श्री अरविन्द मार्ग, नई दिल्ली-110030  
 Sri Aurobindo Marg, New Delhi-110030

Encls. As above



## DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building  
Kashmere Gate, Delhi 110006  
(Visit us at <https://www.dpccocmms.nic.in>)



### Form 4 (See Rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility(HCF), or common bio-medical waste treatment facility (CBWTF)]


Return No : 9695942

Period : 2023-2024

<b>1. Particulars of the Occupier</b>	
(i) Name of the authorized person (Occupier or operator of facility):	VIJAY BHATT
(ii) Name of HCF or CBMWTF:	NATIONAL INSTITUTE OF TUBERCULOSIS AND RESPIRATORY DISEASES
(iii) Address for Correspondence:	Sri AUROBINDO MARG, NEW DELHI- 110030
(iv) Address of Facility:	Sri AUROBINDO MARG, NEW DELHI- 110030
(v) Tel. No.:	828706593
(vi) Fax. No.:	-
(vii) E-mail ID:	amiteshami@gmail.com
(viii) URL of Website:	www.nitrd.nic.in
(ix) GPS coordinates of HCF of CBMWTF:	nitrd
(x) Ownership of HCF or CBMWTF:	Any Other
(xi) Status of Authorization under the BMW (Management and Handing) Rules:	Authorization No.: DPCC/(11)(5)(01)/2020/BMW/NST/AUTH//4945086 dated 10.12.2020 valid upto 29/11/2024 Valid Upto: 29/11/2024
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto: 09/09/2025
<b>2. Type of Health Care Facility</b>	
HCF/CBMWTF Type:	HCF
(i) No. of Beds(for Bedded Hospital):	470.0
(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	
(iii) Licence Number:	4945086
(iv) Licence date of expiry:	29/11/2024


NATIONAL INSTITUTE OF TUBERCULOSIS AND RESPIRATORY DISEASES, Sri AUROBINDO MARG, NEW DELHI- 110030,


Page 1

  
प्रशासनिक अधिकारी  
Administrative Officer  
केन्द्रीय क्षय एवं श्वसन रोग संस्थान  
National Institute of T.B. & Respiratory Diseases  
श्री अरविन्द मार्ग, नई दिल्ली-110030  
Sri Aurobindo Marg, New Delhi-110030

80348/2023/Padin  
80348/2023/Padin

3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 5030.71 Red Category: 14125.73 White Category: 286.81 Blue Category: 4916.21 General Solid Waste: 396980										
4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details											
(i) Details of the on-site storage facility:	Size: 32 Metric Tonnes/Day Capacity: 75 Metric Tonnes/Day Provision of on-site storage:										
(ii) Disposal Facility:	<table border="1"> <thead> <tr> <th>Type of Treatment Equipment</th> <th>Number of Units</th> <th>Capacity(Kg/day)</th> <th>Quantity Treated or Disposed(Kg/annum)</th> </tr> </thead> <tbody> <tr> <td>Microwave</td> <td>2</td> <td>90</td> <td>14125.73</td> </tr> </tbody> </table>			Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)	Microwave	2	90	14125.73
Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)								
Microwave	2	90	14125.73								
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0.0										
(iv) No of vehicles used for collection and transportation of BMW:	3										
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum	<table border="1"> <thead> <tr> <th>Type of waste</th> <th>Quantity Generated</th> <th>Where disposal</th> </tr> </thead> <tbody> <tr> <td>ETP Sludge</td> <td>594</td> <td>Handed over to CBWTF</td> </tr> </tbody> </table>			Type of waste	Quantity Generated	Where disposal	ETP Sludge	594	Handed over to CBWTF		
Type of waste	Quantity Generated	Where disposal									
ETP Sludge	594	Handed over to CBWTF									
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	M/S Biotic waste solution Pvt Ltd										
5. Do you have BMW management committee:	yes										
details:	YES										
6. Training Conducted on BMW Details											
(i) Number of training conducted on BMW Management:	19										
(ii) Number of personnel trained:	191										
(iii) Number of personnel trained at the time of induction:	20										
(iv) Number of personnel not undergone any training so far:	0										
(v) Whether standard manual for training is available:	yes										
(vi) Any other information:	NA										
7. Details of the accident occurred											
(i) No. of accident occurred:	5										
(ii) Number of the persons affected:	0										
(iii) Remedial Action taken:	Post Exposure Prophylaxis given										
(iv) Any Fatality occurred, details:	NO										
8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	Not applicable as no incinerator is being used. All biomedical waste is handled by common biomedical waste treatment facility.										
Details of Continuous online emission monitoring systems installed:	NA										
9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	E.T.P Fully compliant with the DPCC Standards .NIL										
10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	E.T.P Fully compliant with the DPCC Standards .NIL										
11. Any other relevant information:	N.A										
12. Certified that the above report is for the period from:	01-01-2022 to 31-12-2022										

  
 प्रशासनिक अधिकारी  
 Administrative Officer  
 राष्ट्रीय क्षय एवं श्वसन रोग संस्थान  
 National Institute of T.B. & Respiratory Diseases  
 श्री अरविन्द मार्ग, नई दिल्ली-110030  
 Sri Aurobindo Marg, New Delhi-110030

  
Name and Signature of the Head of the Institution

प्रशासनिक अधिकारी  
Administrative Officer  
राष्ट्रीय क्षय एवं श्वसन रोग संस्थान  
National Institute of T.B. & Respiratory Diseases  
श्री अरविन्द मार्ग, नई दिल्ली-110030  
Sri Aurobindo Marg, New Delhi-110030

Date :23/06/2023

Place : SOUTH



# Online Consent Management & Monitoring System Delhi Pollution Control Committee Government of NCT of Delhi

Home

Consent Management

Waste Management

Annual Return

Battery Rule Management

Logout

▶ Apply For Consent

▶ Industry Profile

▶ View Issue Letter

▶ Close Industry

▶ View Direction

▶ View Notice

▶ Laboratory Test

▶ Change Password

▶ Delete Inprogress Lab Application

▶ Delete Inprogress Application

▶ View Notices 0

Send us your feedback and suggestions

click here for any kind complaints or query



Welcome NATIONAL INSTITUTE OF TUBERCULOSIS AND RESPIRATORY DISEASES

Date : 28-6-2023

## BMW Application Details

Application No : 9695942

### **Congratulations! Application submitted successfully.**

Your BMW Annual Return application has been received under the Application Number **9695942**. (Note this number for future communication and know the online status of the application submitted)

To view the submitted application form click onto "View Application Form" and To print the application form click onto "Print Application Form"

[Print BMW Application](#)

[Print Manual Signed Application Form](#)